EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Ц	184		US-PCPUB; USPAT; USOCR; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/05/05 D: H
I2	4		US-POPUB; USPAT; USOCR; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/05/05 1 0:10
L3	6		US-PCPUB; USPAT; USOCR; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/05/05 1 0: 1 9
L4	26		US-PCPUB; USPAT; USOCR; EPO, JPO; DIRWENT; EM_TDB	OR	ON	2009/05/05 D:23

L5	8	(probe or monitor or detector or sensor) near4 (soil or ground).ab, ti. and annular near3 (projection\$ or protrusion)	US-PCPUB; USPAT; USOCR; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/05/05 D:27
16	45	(probe or monitor or detector or sensor) near4 (soil or ground) ab, ti and (seecur\$3 or stabili\$7 or hold\$3 or grasp\$3 or held or anchor\$3 or grip\$4 maintain\$4 or prevent\$4) near5 (body or probe or detector or sensor or monitor) near5 (soil or ground) same (rubber or ring or taper\$3 or narrow \$3 or gasket protrusion or annular)	US-PCPUB; USPAT; USOCR; EPC, IPC; DERWENT; IBM_TDB	OR	ON.	2009/05/05 D:37
L7	19	6 not 4	US-POPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TIDB	OR	ON	2009/05/05 D :37
S1	1549	wireless \$3 and (probe or monitor or detector or sensor) near3 (soilor ground) and (cap or top or lid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:13
S2	23112	wireless\$3 and (probe or monitor or detector or sensor) and (soilor ground) and (cap or top or lid)	US-PCPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:14
S3	5590	wireless\$3 and (probe or monitor or detector or sensor).ab,ti. and (soilor ground) and (cap or top or lid)	US-POPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:14
S4	346	wireless\$3 and (probe or monitor or detector or sensor).ab,ti. and (soilor ground).ab,ti. and (cap or top or lid)	US-POPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:14
S5	0	(D/6930 T).APP.	USPAT; USOCR	OR	ON	2009/04/30 16:22
S6	0	(10/6930 17).APP.	USPAT; USOCR	OR	ON	2009/04/30 16:22

S7	4934	(probe or monitor or detector or sensor).ab, ti. and (soilor ground).ab, ti. and (cap or top or lid)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:34
S8	20	S7 and (water or rain) near2 (damage or corrosion)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 K:35
S9	5	S7 and gasket near3 (externa\$3 or outer or outside)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:36
SIO	46538	detector or sensor).ab,	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:37
S11	9	SD and gasket near3 (external\$3 or outer or outside)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:37
SIZ	11	SD and fin near3 (external\$3 or outer or outs kle)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:37
SB	7	SD and vanes near3 (external\$3 or outer or outside)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:39
SH	9 15	SD and (water or fluid or liquid) with (external \$3 or outer or outside)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:40
SB	502	SD and (water or fluid or liquid) near5 (external \$3 or outer or outside)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/04/30 16 :41

S16	27	SI) and (stabiliz\$3) near5 (externa\$3 or outer or outside)	US-PGPUB; USPAT; USOCR; EPO, JPO, DERWENT; BM_TDB	OR	ON	2009/04/30 16:41
S17	0	("2005/0178220").URPN.	USPAT	OR	ON	2009/04/30 16:42
S18	0	("2005/0178220").URPN.	USPAT	OR	ON	2009/04/30 16:42
SB	0	("2005/0178220").URPN.	USPAT	OR	ON	2009/04/30 16:42
S20	8463	SD and (externa § 3 or outer or outside)	US-PCPUB; USPAT; USOCR; EPO, JPO, DERWENT; BM_TDB	OR	ON	2009/04/30 16:45
S21	112.1	SD and (external\$3 or outer or outside) near20 (flow or contact)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:46
S22	825	SD and (external\$3 or outer or outside) near7 (flow or contact)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:46
S23	682	SD and (external\$3 or outer or outside) near5 (flow or contact)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 16:46
S24	176	SD and (external\$3 or outer or outside) near5 (flow)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 16:47
S25	945	SD and deflect \$3	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 Гл:06
S26	25	SD and (external\$3 or outer or outside) near5 deflect\$3	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 7:06

S27	12.85	SD and protect \$3 near6 (sensor or detector or monitor or trans ducer)	US-PGPUB; USPAT; USOCR; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 Γ:09
S28	1262	S27 not S24	US-POPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 П:D
S29	1220	\$28 not \$4	US-PGPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 П:Ю
S30	2778	SD and (probe or monitor or detector or sensor) near3 (casing or body or case or shell)	US-PCPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 Т:Ш
S31	9030	(soilor ground) near3 (probe or monitor or detector or sensor).ab, ti.	US-PGPUB; USPAT; USOCR; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 П:Д
S32	1092	S31and (cap or top or lid or enclosure)	US-PCPUB; USPAT; USOCR; EPO, JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 Т:2
S33	1012	S32 not S4	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/30 Т:В
S34	992	S33 not S24	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/04/30 П:В
S35	530	S34 and (deflect \$3 or gas ket or ring or protect \$4 or s hie kl\$3)	US-POPUB; USPAT; USOCR; EPO, JPO; DERWENT; IBM TDB	OR	ON	2009/04/30 ГГ:Н

S36	170	(probe or monitor or detector or sensor).ab, ti. and (soilor ground).ab, ti. and gasket	US-PGPUB; USPAT; USOCR; EPO, JPO, DERWENT; BM_TDB	OR	ON	2009/05/04 10:12
S37	20	(probe or monitor or detector or sensor),ab, ti. and (soilor ground),ab, ti. and gasket nears (outer or outside or external\$4 or perimeter or circumference or exterior\$4)	US-PCPUB; USPAT; USOCR; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/05/04 D:H
S38	49	(probe or monitor or detector or sensor) near3 (soilor ground) and gasket near5 (outer or outside or external\$4 or perimeter or circum ference or exterior\$4)	US-PCPUB; USPAT; USOCR; IPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/04 10:П
S39	37	S38 not S37	US-POPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/04 10:18
S40	163	(probe or monitor or detector or sensor).ab, ti and (soilor ground).ab, ti and (taper\$3 or frustoconicaB\$4 or narrowing or seal) near5 (outer or outside or externaB\$4 or perimeter or circum ference or exterior\$4)	US-PCPUB; USPAT; USOCR; IPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 D :41
S41	163	S40 not S39	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/04 10:41
S42	1048	(probe or monitor\$3 or detect\$3 or sens\$3) near2 (soilor ground) and (rubber or ring) near4 (outer or outside or externa\$4 or perimeter or circum ference or externi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 IED

S43	69	(probe or monitor\$3 or detect\$3 or sens\$3) near2 (solior ground)ab, ti and (rubber or ring) near4 (outer or outside or externa84 or perimeter or circum ference or exterior\$4)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 IEE
S44	61	\$43 not \$40	US-PCPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/05/04 11:12
S45	82		US-PCPUB; USPAT; USOCR; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/05/04 IE21
S46	40	S45 not S44	US-PCPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/05/04 11:21
S47	1	"7240743".pn. and (rubber or gasket or seal \$3 or ring)	US-PCPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/05/04 11:26
S48	56	(probe or monitor or detector or sensor) near3 (soilor ground).ab, ti and gasket	US-PCPUB; USPAT; USOCR; EPO, JPO; DERWENT; BM_TDB	OR	ON	2009/05/04 11:30
S49	1331	gasket near2 external \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/05/04 D:32

S50	20		US-PCPUB; USPAT; USOCR; EPO, JPO, DERWENT; IBM_TDB	OR	ON	2009/05/04 12:41
S51	6	(probe or monitor or detector or sensor) near4 (soilor ground),ab, ti and (anchor\$3) near5 (outer or outs ide or external\$4 or perimeter or circum ference or exterior\$4)	US-PCPUB; USPAT; USOCR; IEPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/04 D:44
S52	65	(probe or monitor or detector or sensor) near4 (soilor ground),ab, it and (secur\$3) near5 (outer or outs ide or externa 184 or perimeter or circum ference or exterior\$4)	US-PCPUB; USPAT; USOCR; IPO; JPO; DERWENT; BM_ TDB	OR	ON	2009/05/04 D:45
S53	50	(probe or monitor or detector or sensor) near4 (soilor ground).ab, ti. and (secur\$3) near5 (body or probe or detect or sensor) near3 (soilor ground)	US-PCPUB; USPAT; USOCR; IPO; JPO; DERWENT; IBM_ TDB	OR	ON	2009/05/04 12:47

5/5/09 1:32:49 PM